Amendments to the Claims

This listing of claims will replace all prior versions and listings of

claims in the application:

Listing of Claims

Claims 1-70 (Canceled).

Claim 71. (Previously Presented) A recombinant double-stranded

DNA molecule comprising:

(i) a promoter functional in plants; and

(ii) a DNA sequence encoding a citrate synthase,

wherein said DNA sequence is fused to said promoter in antisense

orientation so that the non-coding strand of said DNA sequence is transcribed; and

wherein said DNA sequence exhibits sufficient sequence identity to an

endogenous citrate synthase gene to reduce expression of said endogenous citrate

synthase gene in a transgenic plant cell containing and transcribing the DNA

molecule, as compared to the expression of said endogenous citrate synthase gene in a

wild type plant cell, whereby said reduced citrate synthase expression leads to

inhibition of flower formation, reduced sprouting of a tuber and/or improved storage

capability of a storage organ in a plant comprising said transgenic plant cell or a

plurality of said transgenic plant cells or a plurality of said transgenic plant cells as

compared to a wild type plant.

Page 3 of 18

Claims 72-73 (Canceled).

Claim 74. (Previously Presented) The DNA molecule according to claim 71, wherein said DNA sequence is selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 2, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 4, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 6, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 1, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 3, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 5, a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 2, a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 4, and a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 6.

Claim 75. (Previously Presented) A vector comprising the DNA molecule according to claim 74.

Claim 76. (Previously Presented) A vector comprising the DNA molecule according to claim 71.

Claim 77. (Previously Presented) A plasmid pKS-CSa, deposited as DSM 8880.

Claim 78. (Withdrawn) A plasmid TCSAS, deposited as DSM 9359.

Claim 79. (Previously Presented) A recombinant double-stranded DNA molecule comprising:

- (i) a promoter functional in plants; and
- (ii) a portion of a DNA sequence encoding a citrate synthase,
 wherein said portion of said DNA sequence is at least 15 base pairs in
 length and is fused to said promoter in antisense orientation so that the non-coding
 strand of said DNA sequence is transcribed; and

wherein said DNA sequence is of sufficient length to reduce expression of an endogenous citrate synthase gene in a transgenic plant cell containing and transcribing the DNA molecule, as compared to the expression of said endogenous citrate synthase gene in a wild type plant cell, whereby said reduced citrate synthase expression leads to inhibition of flower formation, reduced sprouting of a tuber and/or improved storage capability of a storage organ in a plant comprising said transgenic plant cell or a plurality of said transgenic cells as compared to a wild type plant.

Response Accompanying RCE

Claim 80. (Previously Presented) A vector comprising the DNA molecule according to claim 79 or 121.

Claim 81. (Previously Presented) A bacterial cell comprising:

(a) the DNA molecule according to any one of claims 71, 74,

79 or 121, or

(b) a vector comprising said DNA molecule.

Claim 82. (Previously Presented) A transgenic plant cell comprising:

(a) the DNA molecule according to any one of claims 71, 74,

79 or 121, or

(b) a vector comprising said DNA molecule.

Claim 83. (Previously Presented) A transgenic plant comprising the transgenic plant cell according to claim 82, wherein said transgenic plant cell has a reduced citrate synthase activity in comparison to the citrate synthase activity of a wild type plant cell.

Claims 84-99 (Canceled).

Claim 100. (Previously Presented) A transgenic plant comprising transgenic plant cells having integrated into their genome a recombinant double stranded DNA molecule comprising:

(a) a promoter functional in plant cells; and

(b) a DNA sequence encoding a citrate synthase or a part of said DNA

sequence of at least 15 base pairs, wherein said DNA sequence or said part thereof is

operably linked to said promoter;

wherein transcription of said DNA molecule suppresses an endogenous

citrate synthase activity in said transgenic plant such that said transgenic plant cells

have a reduced citrate synthase activity in comparison to the citrate synthase activity

of wild type plant cells; and

wherein said transgenic plant, in comparison to a wild type plant,

displays an inhibition of flower formation, a reduction of sprouting of a tuber and/or

an increase in storage capability of a storage organ.

Claim 101. (Previously Presented) The transgenic plant according to

claim 100, which is selected from the group consisting of a grain plant, a fruit plant, a

vegetable plant, an ornamental plant, a plant that develops tubers or beet as a storage

organ, tobacco, potato, manioc, rapeseed and sugar cane.

Claim 102. (Withdrawn) A storage organ of a plant according to any

one of claims 100 or 101 comprising said transgenic plant cells having a reduced

citrate synthase activity in comparison to the citrate synthase activity of wild type

plant cells.

Page 7 of 18

Claim 103. (Withdrawn) The storage organ according to claim 102 which is a tuber.

Claim 104. (Previously Presented) A transgenic plant comprising transgenic plant cells having integrated into their genome a recombinant double stranded DNA molecule comprising:

- a) a promoter functional in plants; and
- b) a DNA sequence encoding a citrate synthase;

orientation so that the non-coding strand of said DNA sequence is transcribed, and
wherein said DNA sequence exhibits sufficient sequence identity to an
endogenous citrate synthase gene to reduce expression of said endogenous citrate
synthase gene in said transgenic plant cell, as compared to the expression of said
endogenous citrate synthase gene in a wild type plant cell, and

wherein said DNA sequence is fused to said promoter in antisense

wherein said transgenic plant, in comparison to a wild type plant, displays an inhibition of flower formation, a reduction of sprouting of a tuber and/or an increase in storage capability of a storage organ.

Claim 105. (Previously Presented) The transgenic plant according to claim 104, wherein said citrate synthase comprises an amino acid sequence selected from the group consisting of: the amino aid sequence of SEQ ID NO:2, an amino acid sequence having a sequence identity of at least 80% to the sequence of SEQ ID NO:2, the amino acid sequences of SEQ ID NO:4, an amino acid sequence having a

sequence identity of at least 80% to the sequence of SEQ ID NO:4, the amino acids of

SEQ ID NO:6, and a amino acid sequence having a sequence identity of at least 80%

to the sequence of SEQ ID NO:6.

Claim 106. (Withdrawn) The transgenic plant according to claim 104,

wherein said citrate synthase comprises the amino acid sequence of SEQ ID NO: 4 or

an amino acid sequence having a sequence identity of at least 80% to the sequence of

SEQ ID NO: 4.

Claim 107. (Withdrawn) The transgenic plant according to claim 104,

wherein said citrate synthase comprises the amino acid sequence of SEQ ID NO: 6 or

an amino acid sequence having a sequence identity of at least 80% to the sequence of

SEQ ID NO: 6.

Claim 108. (Previously Presented) The transgenic plant according to

claim 104, wherein said DNA sequence comprises the nucleotide sequence of SEQ ID

NO: 1 or a nucleotide sequence having at least 80% sequence identity to the sequence

of SEQ ID NO: 1.

Claim 109. (Withdrawn) The transgenic plant according to claim 104,

wherein said DNA sequence comprises the nucleotide sequence of SEQ ID NO: 3 or a

nucleotide sequence having at least 80% sequence identity to the sequence of SEQ ID

NO: 3.

Page 9 of 18

Claim 110. (Withdrawn) The transgenic plant according to claim 104, wherein said DNA sequence comprises the nucleotide sequence of SEQ ID NO: 5 or a nucleotide sequence having at least 80% sequence identity to the sequence of SEQ ID NO: 5.

Claim 111. (Previously Presented) A seed of the transgenic plant according to any one of claims 100, 101 or 104–110.

Claim 112. (Previously Presented) A process for inhibiting flower formation in a transgenic plant compared to flower formation in a wild type plant, wherein the citrate synthase activity in the cells of said transgenic plant are reduced compared to the citrate synthase activity in wild type plant cells, comprising the steps of:

- (a) introducing into a plant cell a recombinant double-stranded DNA molecule to generate a transgenic plant cell, said DNA molecule comprising
 - (i) a promoter functional in plant cells; and
- (ii) a DNA sequence encoding a citrate synthase or a part of said DNA sequence, which is at least 15 bp and is sufficient in length to suppress endogenous citrate synthase activity,

wherein said DNA sequence is operably linked to said promoter and wherein said DNA molecule forms transcripts through which an endogenous citrate synthase activity can be suppressed; and (b) regenerating the transgenic plant from said transgenic cell, wherein the reduced citrate synthase activity of said transgenic plant inhibits flower formation as compared to flower formation in a wild type plant.

Claim 113. (Withdrawn) A process to increase the storage capability of a storage organ in a transgenic plant compared to the storage capability of a storage organ in a wild type plant, wherein the citrate synthase activity in the cells of said transgenic plant are reduced compared to the citrate synthase activity in wild type plant cells, comprising the steps of:

- (a) introducing into a plant cell a recombinant double-stranded DNA molecule to generate a transgenic plant cell, said DNA molecule comprising
 - (i) a promoter functional in plant cells; and
- (ii) a DNA sequence encoding a citrate synthase or a part of said DNA sequence, which is at least 15 bp and is sufficient in length to suppress endogenous citrate synthase activity,

wherein said DNA sequence is operably linked to said promoter and
wherein said DNA molecule forms transcripts through which
an endogenous citrate synthase activity can be suppressed; and

(b) regenerating the transgenic plant from said transgenic cell, wherein the reduced citrate synthase activity of said transgenic plant improves storage capability of a storage organ as compared to storage capability of a storage organ in a wild type plant.

Claim 114. (Withdrawn) A process for reducing the sprouting of a tuber of a transgenic tuberous plant compared to the sprouting of a tuber in a wild type plant, wherein the citrate synthase activity in the cells of said transgenic plant are reduced compared to the citrate synthase activity in wild type plant cells, comprising the steps of:

- (a) introducing into a plant cell a recombinant double-stranded DNA molecule to generate a transgenic plant cell, said DNA molecule comprising
 - (i) a promoter functional in plant cells; and
- (ii) a DNA sequence encoding a citrate synthase or a part of said DNA sequence, which is at least 15 bp and is sufficient in length to suppress endogenous citrate synthase activity,

wherein said DNA sequence is operably linked to said promoter and
wherein said DNA molecule forms transcripts through which
an endogenous citrate synthase activity can be suppressed; and

(b) regenerating the transgenic plant from said transgenic cell, wherein the reduced citrate synthase activity of said transgenic plant reduces sprouting of a tuber as compared to sprouting of a tuber in a wild type plant.

Claim 115. (Previously Presented) The process according to any one of claims 112 to 114, wherein antisense RNA is transcribed from said DNA sequence.

Claim 116. (Previously Presented) The process according to claim 115, wherein said DNA sequence is selected from the group consisting of SEQ ID

NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 1, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 3, and a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 5,

wherein said DNA sequence exhibits sufficient sequence identity to an endogenous citrate synthase gene to reduce expression of said endogenous citrate synthase gene in a plant cell containing and transcribing the DNA molecule.

Claim 117. (Previously Presented) The process according to claim 115, wherein said DNA sequence codes for an amino acid sequence selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 4, SEQ ID NO: 6, an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 2, an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 4, and an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 6;

wherein said DNA sequence exhibits sufficient sequence identity to an endogenous citrate synthase gene to reduce expression of said endogenous citrate synthase gene in a plant cell containing and transcribing the DNA molecule.

Claim 118. (Previously Presented) A transgenic plant comprising the recombinant double-stranded DNA molecule according to any one of claims 71, 74, 79 or 121–123, integrated into the genome of plant cells of said transgenic plant.

Claim 119. (Previously Presented) A seed of the transgenic plant according to claim 118.

Claim 120. (Previously Presented) A seed of the transgenic plant according to claim 83.

Claim 121. (Not Added) The DNA molecule according to claim 79, wherein said DNA sequence is selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 2, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 4, a DNA sequence encoding the amino acid sequence of SEQ ID NO: 6, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 1, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 3, a DNA sequence that has at least 80% sequence identity with the nucleotide sequence of SEQ ID NO: 5, a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 2, a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 4, and a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 4, and a nucleotide sequence that encodes an amino acid sequence that has at least 80% sequence identity with the amino acid sequence of SEQ ID NO: 6.

Claim 122. (Not Added) The DNA molecule according to claim 71, wherein the DNA sequence is from a plant of the *Solanaceae* family or the *Chenopodiaceae* family.

Claim 123. (Not Added) The DNA molecule according to claim 79, wherein the DNA sequence is from a plant of the *Solanaceae* family or the *Chenopodiaceae* family.

Claim 124. (Not Added) A method for reducing the synthesis of an endogenous citrate synthase in a plant cell compared to the synthesis of a citrate synthase in a wild type plant cell, comprising introducing into the plant cell the vector according to any one of claims 75, 76 or 80 to obtain a transgenic plant cell and transcribing from said DNA molecule non-translatable mRNA, wherein said transcribing results in a reduction in the synthesis of endogenous citrate synthase in the transgenic plant cell as compared to said wild type plant cell.

Claim 125. (Not Added) The transgenic plant according to claim 83 selected from the group consisting of a grain plant, a fruit plant, a vegetable plant, an ornamental plant, a plant that develops tubers or beet as a storage organ, tobacco, potato, manioc, rapeseed and sugar cane.

Appl. No. 08/702,718 Amdt. dated Oct. 28, 2003 Response Accompanying RCE

Claim 126. (Not Added) A storage organ of a plant according to claim 83 comprising said transgenic plant cells having a reduced citrate synthase activity as compared to the citrate synthase activity of wild type plant cells.